

M12 male 0° / M12 male 0° D-cod. shielded

PUR 1x4xAWG22 shielded gn UL/CSA+drag ch. 20m

Product fulfills requirements according to UN/ECE R118

Ethernet CAT5e

Transmission properties with channel transmission up to 100 m

Male straight - male straight

M12 - M12, 4-pole

D-coded

shielded

Further cable lengths on request.


Plastic housings with good resistance against chemicals and oils.


The resistance to aggressive media should be individually tested for your application. Further details on request.


Link to Product


Illustration













stay connected

















Cable length	20 m	
Side 1		
Tightening torque	0,6 Nm	
Mounting method	inserted, screwed	
Family construction form	M12	
Thread	M12 x 1	
Cable outlet	straight	
Coding	D	
Material	PUR	
No. of poles	4	
Width across flats	SW13	
Degree of protection (EN IEC 60529)	IP65, IP66K, IP67	
Side 2		
Tightening torque	0,6 Nm	
Mounting method	inserted, screwed	
Family construction form	M12	
Thread	M12 x 1	
Cable outlet	straight	
Coding	D	
Material	PUR	
No. of poles	4	
Width across flats	SW13	
Degree of protection (EN IEC 60529)	IP65, IP66K, IP67	
Commercial data		
ECLASS-6.0	27061801	
ECLASS-6.1	27060307	
ECLASS-7.0	27060307	
ECLASS-8.0	27060307	
ECLASS-9.0	27060307	
ECLASS-10.1	27060307	
ECLASS-11.1	27060307	
ECLASS-12.0	27060307	
ETIM-5.0	EC002599	
customs tariff number	85444290	
GTIN	4048879141246	
Packaging unit	1	
Electrical data Supply		
Operating voltage DC max.	60 V	
Current operating per contact max.	1,5 A	
Industrial communication		
Transfer parameters	CAT5e, Class D (ISO/IEC 11801:2002), (EN 50173-1)	
Data transmission rate max.	100 MBit/s	
Industrial communication Ethernet functionality		
remation in this Product PDE has been compiled with the utmost care		



stay connected

duplex	Full duplex
Device protection Electrical	
Degree of protection (EN IEC 60529)	IP65, IP67, IP66K
Additional condition protection degree	inserted, screwed
Pollution Degree	3
	1,5 kV
Rated surge voltage Material group (IEC 60664-1)	VA C,1
	1
Mechanical data	
Contour for corrugated hose	without
Mechanical data Material data	
Coating locking	Nickeled
Locking material	Zinc die-casting
Mechanical data Mounting data	
Mounting method	inserted, screwed, Shaking protection
	inserted, Sciewed, Orlawing protection
Environmental characteristics Climatic	
Operating temperature min.	-25 °C
Operating temperature max.	85 °C
Additional condition temperature range	depending on cable quality
Important installation notes	
Note on strain relief	Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties.
Note on bending radius	Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces.
Conformity	
Product standard	DIN EN 61076-2-101 (M12)
	DIV EN 01010-2-101 (W12)
Installation Cable	
wire arrangement	white, yellow, blue, orange
Cable identification	796
Jacket Color	green
Type of Certificate	cURus
Amount stranding	1
Stranding	4 wires around Core filler twisted
	copper braid, tinned
Cable shielding (coverage)	copper braid, tinned 85 %
Cable shielding (coverage) Banding	copper braid, tinned 85 % Fleece, Foil
Cable shielding (coverage) Banding Filler	copper braid, tinned 85 % Fleece, Foil yes
Cable shielding (coverage) Banding Filler wire arrangement	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket)	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free, silicone-free
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket)	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free, silicone-free 6,7 mm
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath)	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free, silicone-free 6,7 mm ± 5 %
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket)	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free, silicone-free 6,7 mm ± 5 % FRNC natur PE
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm ± 5 %
Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free, silicone-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm ± 5 % 65 Shore D
Cable shielding (type) Cable shielding (coverage) Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation	copper braid, tinned 85 % Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free, silicone-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm ± 5 %



Diameter of single wires	22 AWG
Conductor crosssection (wire)	22 AWG
Material conductor wire	Stranded copper wire, bare
Nominal voltage AC max.	300 V
Current load capacity (standard)	to DIN VDE 0298-4
Current load capacity min. wire	4,8 A
Characteristic impedance	100 Ω ± 15 % @ 100 MHz
Electrical resistance line constant wire	55 Ω/km @ 20 °C
AC withstand voltage (wire - wire)	2 kV @ 60 s
Electrical capacity line constant (wire - wire)	50000 pF/km
Power frequency withstand voltage (wire - jacket)	2 kV @ 60 s
AC withstand voltage (wire - shield)	2 kV @ 60 s
Isolation resistance	5000 MΩ × km
Min. operating temperature (static)	-40 °C
Max. operating temperature (fixed)	80 °C
Operating temperature min. (dynamic)	-30 °C
Operating temperature max. (dynamic)	70 °C
Flame resistance	IEC 60332-2-2 UL 1581 § 1090 UL 1581 § 1100 FT2
chemical resistance	Good, application-related testing
Gasoline resistance	Good, application-related testing
Oil resistance	DIN EN 60811-404 Good, application-related testing
Bending radius (fixed)	5 x Outer diameter
Bending radius (dynamic)	12 x Outer diameter
No. of bending cycles (C-track)	3 Mio. @ 25 °C
Traversing distance (C-track)	5 m @ 25 °C
Travel speed (C-track)	3,3 m/s @ 25 °C
No. of torsion cycles	1 Mio. 25 °C
Torsion stress	± 180 °/m